



苏州中鹿环保设备工程有限公司

地址:江苏省昆山市花桥绿地大道1555号1号楼B座710室

地址:江苏省泰州市海陵区梅兰东路59号中节能(泰州)环保产业园56栋

电话:400-9932003

[www.supermidland.com](http://www.supermidland.com) [post@supermidland.com](mailto:post@supermidland.com)


Information presented in this data chart is provided as a guide only. BES do not guarantee the accuracy of any data contained in this chart.  
Dimensions may change without notice.

[www.supermidland.com](http://www.supermidland.com)

**ISO4427 BS EN12201 WRAS**




注塑对接弯头90°



| D<br>(mm) | H<br>(mm) | L<br>(mm) | SDR   |
|-----------|-----------|-----------|-------|
| 50        | 90        | 55        | 11    |
| 63        | 105       | 60        | 11    |
| 75        | 122       | 70        | 11    |
| 90        | 140       | 80        | 11/17 |
| 110       | 152       | 80        | 11/17 |
| 125       | 165       | 85        | 11/17 |
| 140       | 180       | 90        | 11/17 |
| 160       | 195       | 100       | 11/17 |
| 180       | 200       | 105       | 11/17 |
| 200       | 215       | 100       | 11/17 |

| D<br>(mm) | H<br>(mm) | L<br>(mm) | SDR   |
|-----------|-----------|-----------|-------|
| 225       | 235       | 100       | 11/17 |
| 250       | 255       | 105       | 11/17 |
| 280       | 278       | 110       | 11/17 |
| 315       | 290       | 110       | 11/17 |
| 355       | 310       | 140       | 17    |
| 400       | 320       | 150       | 17    |
| 450       | 385       | 150       | 17    |
| 500       | 405       | 150       | 17    |
| 560       | 450       | 150       | 17    |
| 630       | 480       | 155       | 17    |


注塑对接弯头45°



| D<br>(mm) | H<br>(mm) | L<br>(mm) | SDR   |
|-----------|-----------|-----------|-------|
| 63        | 83        | 60        | 11    |
| 75        | 100       | 70        | 11    |
| 90        | 115       | 80        | 11    |
| 110       | 120       | 80        | 11/17 |
| 125       | 125       | 82        | 11/17 |
| 140       | 135       | 90        | 11/17 |
| 160       | 150       | 98        | 11/17 |
| 180       | 155       | 100       | 11/17 |
| 200       | 160       | 100       | 11/17 |
| 225       | 160       | 100       | 11/17 |


| D<br>(mm) | H<br>(mm) | L<br>(mm) | SDR   |
|-----------|-----------|-----------|-------|
| 250       | 180       | 105       | 11/17 |
| 280       | 190       | 110       | 11/17 |
| 315       | 200       | 110       | 11/17 |
| 355       | 210       | 110       | 17    |
| 400       | 220       | 110       | 17    |
| 450       | 245       | 125       | 17    |
| 500       | 270       | 125       | 17    |
| 560       | 270       | 128       | 17    |
| 630       | 280       | 130       | 17    |

注塑对接弯头22.5 °



| D<br>(mm) | H<br>(mm) | L<br>(mm) | SDR   |
|-----------|-----------|-----------|-------|
| 110       | 110       | 80        | 11/17 |
| 160       | 140       | 100       | 11/17 |
| 200       | 150       | 100       | 11/17 |
| 250       | 170       | 105       | 11/17 |
| 315       | 185       | 110       | 11/17 |
| 400       | 210       | 140       | 17    |


注塑对接异径三通



| D<br>(mm) | d<br>(mm) | L<br>(mm) | L1<br>(mm) | L2<br>(mm) | H<br>(mm) | SDR   |
|-----------|-----------|-----------|------------|------------|-----------|-------|
| 75        | 40        | 255       | 70         | 50         | 110       | 11/17 |
| 75        | 50        | 255       | 70         | 50         | 125       | 11/17 |
| 75        | 63        | 255       | 70         | 65         | 125       | 11/17 |
| 90        | 50        | 290       | 80         | 50         | 115       | 11/17 |
| 90        | 63        | 290       | 80         | 65         | 130       | 11/17 |
| 90        | 75        | 290       | 80         | 70         | 130       | 11/17 |
| 110       | 50        | 270       | 80         | 60         | 135       | 11/17 |
| 110       | 63        | 270       | 80         | 65         | 145       | 11/17 |
| 110       | 75        | 315       | 80         | 70         | 150       | 11/17 |
| 110       | 90        | 315       | 85         | 80         | 155       | 11/17 |
| 125       | 63        | 335       | 85         | 65         | 155       | 11/17 |
| 125       | 75        | 335       | 85         | 70         | 155       | 11/17 |
| 125       | 90        | 335       | 85         | 80         | 165       | 11/17 |
| 125       | 110       | 335       | 85         | 80         | 165       | 11/17 |
| 140       | 63        | 340       | 90         | 65         | 155       | 11/17 |
| 140       | 75        | 340       | 90         | 70         | 165       | 11/17 |
| 140       | 90        | 340       | 90         | 80         | 170       | 11/17 |
| 140       | 110       | 340       | 90         | 80         | 170       | 11/17 |
| 140       | 125       | 340       | 90         | 85         | 170       | 11/17 |
| 160       | 50        | 350       | 100        | 60         | 165       | 11/17 |
| 160       | 63        | 350       | 100        | 65         | 180       | 11/17 |
| 160       | 75        | 350       | 100        | 70         | 180       | 11/17 |
| 160       | 90        | 345       | 100        | 80         | 180       | 11/17 |
| 160       | 110       | 350       | 100        | 85         | 180       | 11/17 |
| 160       | 125       | 400       | 100        | 85         | 185       | 11/17 |
| 180       | 90        | 355       | 105        | 80         | 210       | 11/17 |
| 180       | 110       | 355       | 105        | 80         | 210       | 11/17 |
| 180       | 125       | 410       | 105        | 85         | 210       | 11/17 |
| 180       | 160       | 410       | 105        | 100        | 210       | 11/17 |
| 200       | 63        | 350       | 100        | 65         | 200       | 11/17 |
| 200       | 75        | 350       | 100        | 70         | 200       | 11/17 |
| 200       | 90        | 355       | 100        | 80         | 200       | 11/17 |
| 200       | 110       | 355       | 100        | 85         | 200       | 11/17 |
| 200       | 125       | 440       | 100        | 85         | 200       | 11/17 |
| 200       | 160       | 440       | 90         | 95         | 220       | 11/17 |
| 225       | 63        | 360       | 90         | 65         | 210       | 11/17 |
| 225       | 75        | 360       | 100        | 70         | 210       | 11/17 |
| 225       | 90        | 360       | 100        | 80         | 220       | 11/17 |
| 225       | 110       | 360       | 100        | 85         | 220       | 11/17 |
| 225       | 125       | 470       | 95         | 85         | 215       | 11/17 |
| 225       | 160       | 470       | 95         | 95         | 230       | 11/17 |
| 225       | 200       | 470       | 100        | 98         | 240       | 11/17 |
| 250       | 63        | 370       | 105        | 65         | 215       | 11/17 |
| 250       | 75        | 365       | 105        | 70         | 215       | 11/17 |
| 250       | 90        | 370       | 105        | 80         | 230       | 11/17 |
| 250       | 110       | 370       | 105        | 85         | 230       | 11/17 |
| 250       | 125       | 510       | 100        | 85         | 230       | 11/17 |
| 250       | 160       | 510       | 100        | 95         | 245       | 11/17 |
| 250       | 200       | 505       | 100        | 100        | 250       | 11/17 |
| 250       | 225       | 510       | 100        | 100        | 250       | 11/17 |

| D<br>(mm) | d<br>(mm) | L<br>(mm) | L1<br>(mm) | L2<br>(mm) | H<br>(mm) | SDR   |
|-----------|-----------|-----------|------------|------------|-----------|-------|
| 280       | 90        | 545       | 110        | 70         | 225       | 11/17 |
| 280       | 110       | 545       | 110        | 80         | 235       | 11/17 |
| 280       | 160       | 545       | 110        | 100        | 255       | 11/17 |
| 280       | 200       | 545       | 110        | 100        | 260       | 11/17 |
| 280       | 250       | 545       | 110        | 105        | 260       | 11/17 |
| 315       | 90        | 425       | 110        | 80         | 260       | 11/17 |
| 315       | 110       | 430       | 105        | 85         | 260       | 11/17 |
| 315       | 125       | 425       | 105        | 85         | 265       | 11/17 |
| 315       | 160       | 430       | 105        | 100        | 280       | 11/17 |
| 315       | 200       | 515       | 110        | 100        | 280       | 11/17 |
| 315       | 225       | 515       | 110        | 100        | 290       | 11/17 |
| 315       | 250       | 515       | 105        | 100        | 290       | 11/17 |
| 355       | 110       | 410       | 110        | 95         | 300       | 17    |
| 355       | 160       | 410       | 110        | 95         | 300       | 17    |
| 355       | 200       | 410       | 110        | 95         | 300       | 17    |
| 355       | 250       | 660       | 130        | 115        | 330       | 17    |
| 355       | 315       | 570       | 105        | 90         | 300       | 17    |
| 400       | 110       | 460       | 110        | 70         | 300       | 17    |
| 400       | 160       | 460       | 110        | 100        | 320       | 17    |
| 400       | 200       | 460       | 140        | 100        | 325       | 17    |
| 400       | 250       | 560       | 110        | 105        | 330       | 17    |
| 400       | 315       | 560       | 110        | 110        | 330       | 17    |
| 400       | 355       | 560       | 110        | 110        | 330       | 17    |
| 450       | 110       | 480       | 150        | 110        | 350       | 17    |
| 450       | 160       | 480       | 150        | 100        | 350       | 17    |
| 450       | 200       | 530       | 150        | 100        | 355       | 17    |
| 450       | 250       | 580       | 155        | 110        | 355       | 17    |
| 450       | 315       | 645       | 155        | 110        | 365       | 17    |
| 450       | 400       | 720       | 155        | 140        | 380       | 17    |
| 500       | 110       | 510       | 140        | 100        | 380       | 17    |
| 500       | 160       | 520       | 140        | 100        | 380       | 17    |
| 500       | 200       | 540       | 145        | 100        | 375       | 17    |
| 500       | 250       | 565       | 150        | 105        | 380       | 17    |
| 500       | 315       | 640       | 160        | 110        | 385       | 17    |
| 500       | 400       | 670       | 160        | 110        | 415       | 17    |
| 560       | 110       | 505       | 160        | 100        | 410       | 17    |
| 560       | 160       | 510       | 160        | 100        | 410       | 17    |
| 560       | 200       | 550       | 160        | 100        | 410       | 17    |
| 560       | 250       | 610       | 165        | 105        | 410       | 17    |
| 560       | 315       | 660       | 165        | 110        | 415       | 17    |
| 560       | 400       | 740       | 165        | 145        | 445       | 17    |
| 560       | 500       | 790       | 165        | 145        | 445       | 17    |
| 630       | 110       | 450       | 150        | 100        | 410       | 17    |
| 630       | 160       | 500       | 155        | 110        | 445       | 17    |
| 630       | 200       | 540       | 155        | 110        | 445       | 17    |
| 630       | 250       | 585       | 160        | 110        | 445       | 17    |
| 630       | 315       | 665       | 165        | 110        | 475       | 17    |
| 630       | 400       | 745       | 165        | 140        | 475       | 17    |
| 630       | 500       | 795       | 165        | 145        | 475       | 17    |


注塑对接等径三通



| D<br>(mm) | L<br>(mm) | H<br>(mm) | L1<br>(mm) | SDR   |
|-----------|-----------|-----------|------------|-------|
| 50        | 185       | 93        | 55         | 11    |
| 63        | 210       | 105       | 60         | 11    |
| 75        | 260       | 130       | 70         | 11    |
| 90        | 290       | 145       | 80         | 11    |
| 110       | 315       | 158       | 80         | 11/17 |
| 125       | 335       | 168       | 85         | 11/17 |
| 140       | 360       | 180       | 90         | 11/17 |
| 160       | 398       | 200       | 95         | 11/17 |
| 180       | 425       | 213       | 100        | 11/17 |
| 200       | 440       | 220       | 100        | 11/17 |

| D<br>(mm) | L<br>(mm) | H<br>(mm) | L1<br>(mm) | SDR   |
|-----------|-----------|-----------|------------|-------|
| 225       | 470       | 235       | 100        | 11/17 |
| 250       | 508       | 255       | 105        | 11/17 |
| 280       | 550       | 275       | 110        | 11/17 |
| 315       | 575       | 285       | 110        | 11/17 |
| 355       | 565       | 280       | 95         | 17    |
| 400       | 640       | 320       | 110        | 17    |
| 450       | 775       | 380       | 140        | 17    |
| 500       | 820       | 405       | 140        | 17    |
| 560       | 920       | 450       | 150        | 17    |
| 630       | 970       | 480       | 150        | 17    |

注塑对接斜三通




| D<br>(mm) | L<br>(mm) | L1<br>(mm) | SDR   |
|-----------|-----------|------------|-------|
| 63        | 255       | 65         | 11    |
| 75        | 285       | 70         | 11    |
| 90        | 320       | 75         | 11/17 |
| 110       | 385       | 85         | 11/17 |
| 125       | 420       | 95         | 11/17 |
| 140       | 460       | 100        | 11/17 |
| 160       | 500       | 100        | 11/17 |
| 200       | 605       | 120        | 11/17 |
| 225       | 650       | 125        | 11/17 |
| 250       | 700       | 130        | 11/17 |
| 280       | 770       | 140        | 11/17 |
| 315       | 850       | 150        | 11/17 |



| D<br>(mm) | L<br>(mm) | L1<br>(mm) | SDR   |
|-----------|-----------|------------|-------|
| 140       | 360       | 90         | 11/17 |
| 180       | 435       | 105        | 11/17 |
| 280       | 545       | 110        | 11/17 |
| 355       | 660       | 130        | 17    |
| 400       | 725       | 140        | 17    |
| 450       | 805       | 155        | 17    |
| 500       | 885       | 170        | 17    |
| 560       | 985       | 190        | 17    |
| 630       | 1095      | 210        | 17    |

注塑对接管帽




| D<br>(mm) | H<br>(mm) | L<br>(mm) | SDR   |
|-----------|-----------|-----------|-------|
| 50        | 75        | 55        | 11    |
| 63        | 85        | 55        | 11    |
| 75        | 85        | 75        | 11    |
| 90        | 95        | 85        | 11/17 |
| 110       | 115       | 102       | 11/17 |
| 125       | 80        | 60        | 11/17 |
| 140       | 80        | 60        | 11/17 |
| 160       | 145       | 120       | 11/17 |
| 180       | 105       | 75        | 11/17 |
| 200       | 105       | 90        | 11/17 |
| 225       | 110       | 80        | 11/17 |
| 250       | 135       | 105       | 11/17 |
| 280       | 140       | 105       | 11/17 |
| 315       | 145       | 105       | 11/17 |

| D<br>(mm) | H<br>(mm) | L<br>(mm) | SDR   |
|-----------|-----------|-----------|-------|
| 355       | 160       | 110       | 11/17 |
| 400       | 155       | 100       | 11/17 |
| 450       | 165       | 105       | 11/17 |
| 500       | 170       | 115       | 11/17 |
| 560       | 210       | 105       | 11/17 |
| 630       | 220       | 120       | 11/17 |
| 710       | 230       | 160       | 11/17 |
| 800       | 245       | 160       | 17    |
| 900       | 265       | 165       | 17    |
| 1000      | 285       | 160       | 17    |
| 1200      | 290       | 160       | 21    |
| 1400      | 350       | 200       | 26    |
| 1600      | 350       | 200       | 26    |


注塑对接法兰根

更多SDR等级请联系我们！




| d<br>(mm) | D<br>(mm) | D1<br>(mm) | H<br>(mm) | L<br>(mm) | SDR  |
|-----------|-----------|------------|-----------|-----------|------|
| 32        | 68        | 40         | 10        | 85        | 11   |
| 40        | 78        | 50         | 11        | 85        | 11   |
| 50        | 88        | 61         | 12        | 85        | 11   |
| 63        | 102       | 75         | 12        | 98        | 9    |
| 63        | 102       | 75         | 12        | 88        | 11   |
| 75        | 122       | 89         | 22        | 95        | 9    |
| 75        | 122       | 89         | 15        | 95        | 11   |
| 90        | 138       | 105        | 24        | 100       | 9    |
| 90        | 138       | 105        | 17        | 100       | 11   |
| 110       | 158       | 125        | 25        | 110       | 9    |
| 110       | 158       | 125        | 18        | 110       | 11   |
| 125       | 158       | 132        | 18        | 120       | 11   |
| 140       | 188       | 155        | 20        | 125       | 11   |
| 160       | 212       | 175        | 27        | 200       | 9    |
| 160       | 212       | 175        | 25        | 130       | 11   |
| 180       | 212       | 180        | 30        | 145       | 11   |
| 200       | 268       | 232        | 32        | 200       | 9    |
| 200       | 268       | 232        | 32        | 155       | 11   |
| 200       | 268       | 232        | 28        | 140       | 12.5 |
| 225       | 268       | 235        | 32        | 155       | 11   |
| 225       | 268       | 235        | 28        | 145       | 12.5 |
| 250       | 320       | 285        | 35        | 165       | 11   |
| 250       | 320       | 285        | 30        | 150       | 13.6 |
| 280       | 320       | 291        | 36        | 175       | 11   |
| 315       | 370       | 335        | 38        | 175       | 11   |
| 315       | 370       | 335        | 36        | 170       | 13.6 |

| d<br>(mm) | D<br>(mm) | D1<br>(mm) | H<br>(mm) | L<br>(mm) | SDR  |
|-----------|-----------|------------|-----------|-----------|------|
| 355       | 430       | 373        | 42        | 185       | 11   |
| 355       | 430       | 373        | 38        | 185       | 17   |
| 400       | 482       | 427        | 48        | 215       | 11   |
| 400       | 482       | 427        | 42        | 215       | 17   |
| 450       | 535       | 514        | 50        | 220       | 11   |
| 450       | 535       | 514        | 45        | 220       | 17   |
| 500       | 585       | 530        | 50        | 230       | 11   |
| 500       | 585       | 530        | 48        | 230       | 17   |
| 560       | 685       | 615        | 55        | 230       | 11   |
| 560       | 685       | 615        | 50        | 230       | 17   |
| 630       | 685       | 642        | 60        | 245       | 11   |
| 630       | 685       | 642        | 55        | 235       | 13.6 |
| 630       | 685       | 642        | 50        | 245       | 17   |
| 710       | 800       | 738        | 75        | 235       | 11   |
| 710       | 800       | 738        | 65        | 235       | 17   |
| 800       | 905       | 840        | 80        | 240       | 11   |
| 800       | 905       | 840        | 70        | 240       | 17   |
| 900       | 1005      | 944        | 75        | 245       | 13.6 |
| 900       | 1005      | 944        | 70        | 245       | 17   |
| 1000      | 1110      | 1047       | 80        | 250       | 13.6 |
| 1000      | 1110      | 1047       | 75        | 250       | 17   |
| 1200      | 1330      | 1230       | 80        | 260       | 17   |
| 1200      | 1330      | 1230       | 75        | 260       | 21   |
| 1400      | 1535      | 1440       | 80        | 170       | 21   |
| 1400      | 1535      | 1440       | 80        | 170       | 26   |
| 1600      | 1760      | 1650       | 85        | 170       | 26   |



法兰根用于蝶阀时，一般需进行内倒角处理，以便蝶阀阀板能自由开合，蝶阀正常工作。更多详细信息，请联系我们。


注塑对接异径直通



| D<br>(mm) | d<br>(mm) | H<br>(mm) | L1<br>(mm) | L2<br>(mm) | SDR   |
|-----------|-----------|-----------|------------|------------|-------|
| 63        | 32        | 135       | 60         | 45         | 11    |
| 63        | 40        | 135       | 65         | 55         | 11    |
| 63        | 50        | 125       | 60         | 55         | 11    |
| 75        | 50        | 135       | 62         | 55         | 11    |
| 75        | 63        | 135       | 62         | 55         | 11    |
| 90        | 50        | 145       | 75         | 55         | 11    |
| 90        | 63        | 145       | 75         | 55         | 11    |
| 90        | 75        | 162       | 75         | 65         | 11    |
| 110       | 50        | 160       | 75         | 55         | 11/17 |
| 110       | 63        | 160       | 75         | 55         | 11/17 |
| 110       | 75        | 160       | 75         | 65         | 11/17 |
| 110       | 90        | 160       | 80         | 70         | 11/17 |
| 125       | 63        | 165       | 80         | 60         | 11/17 |
| 125       | 75        | 170       | 80         | 65         | 11/17 |
| 125       | 90        | 170       | 80         | 70         | 11/17 |
| 125       | 110       | 170       | 80         | 75         | 11/17 |
| 140       | 63        | 185       | 90         | 65         | 11/17 |
| 140       | 75        | 195       | 90         | 75         | 11/17 |
| 140       | 90        | 185       | 90         | 80         | 11/17 |
| 140       | 110       | 190       | 90         | 80         | 11/17 |
| 140       | 125       | 185       | 90         | 85         | 11/17 |
| 160       | 63        | 200       | 82         | 65         | 11/17 |
| 160       | 75        | 190       | 82         | 62         | 11/17 |
| 160       | 90        | 200       | 82         | 82         | 11/17 |
| 160       | 110       | 200       | 82         | 85         | 11/17 |
| 160       | 125       | 200       | 82         | 90         | 11/17 |
| 160       | 140       | 185       | 85         | 85         | 11/17 |
| 180       | 63        | 205       | 90         | 80         | 11/17 |
| 180       | 75        | 205       | 90         | 80         | 11/17 |
| 180       | 90        | 200       | 90         | 90         | 11/17 |
| 180       | 110       | 195       | 90         | 90         | 11/17 |
| 180       | 125       | 210       | 90         | 100        | 11/17 |
| 180       | 140       | 195       | 90         | 95         | 11/17 |
| 180       | 160       | 195       | 90         | 90         | 11/17 |
| 200       | 90        | 210       | 90         | 82         | 11/17 |
| 200       | 110       | 205       | 90         | 80         | 11/17 |
| 200       | 125       | 200       | 90         | 80         | 11/17 |
| 200       | 140       | 200       | 90         | 85         | 11/17 |
| 200       | 160       | 215       | 90         | 95         | 11/17 |
| 200       | 180       | 200       | 90         | 85         | 11/17 |

| D<br>(mm) | d<br>(mm) | H<br>(mm) | L1<br>(mm) | L2<br>(mm) | SDR   |
|-----------|-----------|-----------|------------|------------|-------|
| 225       | 90        | 205       | 95         | 75         | 11/17 |
| 225       | 110       | 205       | 95         | 80         | 11/17 |
| 225       | 125       | 205       | 95         | 80         | 11/17 |
| 225       | 140       | 210       | 95         | 90         | 11/17 |
| 225       | 160       | 205       | 95         | 80         | 11/17 |
| 225       | 180       | 205       | 95         | 90         | 11/17 |
| 225       | 200       | 205       | 95         | 90         | 11/17 |
| 250       | 90        | 210       | 100        | 80         | 11/17 |
| 250       | 110       | 210       | 100        | 80         | 11/17 |
| 250       | 125       | 210       | 100        | 80         | 11/17 |
| 250       | 140       | 215       | 100        | 90         | 11/17 |
| 250       | 160       | 215       | 100        | 85         | 11/17 |
| 250       | 180       | 215       | 100        | 95         | 11/17 |
| 250       | 200       | 215       | 100        | 90         | 11/17 |
| 250       | 225       | 215       | 100        | 95         | 11/17 |
| 280       | 90        | 225       | 100        | 85         | 11/17 |
| 280       | 110       | 230       | 100        | 90         | 11/17 |
| 280       | 125       | 230       | 100        | 90         | 11/17 |
| 280       | 140       | 225       | 100        | 90         | 11/17 |
| 280       | 160       | 225       | 100        | 90         | 11/17 |
| 280       | 180       | 225       | 100        | 95         | 11/17 |
| 280       | 200       | 230       | 100        | 95         | 11/17 |
| 280       | 225       | 225       | 100        | 95         | 11/17 |
| 280       | 250       | 225       | 100        | 100        | 11/17 |
| 315       | 90        | 245       | 110        | 85         | 11/17 |
| 315       | 110       | 245       | 110        | 85         | 11/17 |
| 315       | 125       | 240       | 110        | 90         | 11/17 |
| 315       | 140       | 255       | 110        | 100        | 11/17 |
| 315       | 160       | 255       | 105        | 100        | 11/17 |
| 315       | 180       | 255       | 105        | 105        | 11/17 |
| 315       | 200       | 270       | 75         | 115        | 11/17 |
| 315       | 225       | 255       | 108        | 110        | 11/17 |
| 315       | 250       | 260       | 75         | 125        | 11/17 |
| 315       | 280       | 235       | 105        | 100        | 11/17 |
| 355       | 110       | 195       | 80         | 65         | 11/17 |
| 355       | 125       | 200       | 80         | 65         | 11/17 |
| 355       | 140       | 240       | 130        | 90         | 11/17 |
| 355       | 160       | 270       | 110        | 90         | 11/17 |
| 355       | 180       | 270       | 110        | 100        | 11/17 |
| 355       | 200       | 270       | 110        | 105        | 11/17 |

注塑对接异径直通



| D<br>(mm) | d<br>(mm) | H<br>(mm) | L1<br>(mm) | L2<br>(mm) | SDR   |
|-----------|-----------|-----------|------------|------------|-------|
| 355       | 225       | 270       | 110        | 100        | 11/17 |
| 355       | 250       | 270       | 110        | 105        | 11/17 |
| 355       | 280       | 260       | 110        | 110        | 11/17 |
| 355       | 315       | 260       | 110        | 110        | 11/17 |
| 400       | 110       | 245       | 110        | 90         | 11/17 |
| 400       | 125       | 245       | 110        | 90         | 11/17 |
| 400       | 140       | 250       | 110        | 90         | 11/17 |
| 400       | 160       | 260       | 100        | 90         | 11/17 |
| 400       | 180       | 265       | 100        | 100        | 11/17 |
| 400       | 200       | 265       | 100        | 100        | 11/17 |
| 400       | 225       | 265       | 100        | 100        | 11/17 |
| 400       | 250       | 265       | 110        | 105        | 11/17 |
| 400       | 280       | 270       | 110        | 110        | 11/17 |
| 400       | 315       | 270       | 100        | 110        | 11/17 |
| 400       | 355       | 290       | 100        | 135        | 11/17 |
| 450       | 110       | 255       | 105        | 80         | 11/17 |
| 450       | 125       | 260       | 105        | 85         | 11/17 |
| 450       | 140       | 265       | 105        | 90         | 11/17 |
| 450       | 160       | 275       | 105        | 100        | 11/17 |
| 450       | 180       | 280       | 105        | 105        | 11/17 |
| 450       | 200       | 275       | 105        | 100        | 11/17 |
| 450       | 225       | 280       | 105        | 100        | 11/17 |
| 450       | 250       | 280       | 105        | 120        | 11/17 |
| 450       | 280       | 280       | 155        | 110        | 11/17 |
| 450       | 315       | 285       | 155        | 110        | 11/17 |
| 450       | 355       | 315       | 155        | 130        | 11/17 |
| 450       | 400       | 315       | 155        | 140        | 11/17 |
| 500       | 200       | 305       | 170        | 100        | 11/17 |
| 500       | 225       | 300       | 170        | 100        | 11/17 |
| 500       | 250       | 310       | 170        | 105        | 11/17 |
| 500       | 280       | 310       | 170        | 110        | 11/17 |
| 500       | 315       | 310       | 170        | 110        | 11/17 |
| 500       | 355       | 330       | 170        | 130        | 11/17 |
| 500       | 400       | 340       | 170        | 140        | 11/17 |
| 560       | 200       | 320       | 190        | 100        | 11/17 |
| 560       | 225       | 320       | 190        | 100        | 11/17 |
| 560       | 250       | 325       | 190        | 105        | 11/17 |
| 560       | 280       | 330       | 190        | 110        | 11/17 |
| 560       | 315       | 330       | 190        | 110        | 11/17 |
| 560       | 355       | 350       | 190        | 130        | 11/17 |


| D<br>(mm) | d<br>(mm) | H<br>(mm) | L1<br>(mm) | L2<br>(mm) | SDR   |
|-----------|-----------|-----------|------------|------------|-------|
| 560       | 400       | 360       | 190        | 140        | 11/17 |
| 560       | 450       | 375       | 190        | 155        | 11/17 |
| 560       | 500       | 390       | 190        | 170        | 11/17 |
| 630       | 200       | 345       | 210        | 100        | 11/17 |
| 630       | 225       | 340       | 210        | 100        | 11/17 |
| 630       | 250       | 345       | 210        | 105        | 11/17 |
| 630       | 280       | 350       | 210        | 110        | 11/17 |
| 630       | 315       | 350       | 210        | 110        | 11/17 |
| 630       | 355       | 370       | 210        | 130        | 11/17 |
| 630       | 400       | 380       | 210        | 140        | 11/17 |
| 630       | 450       | 395       | 210        | 155        | 11/17 |
| 630       | 500       | 410       | 210        | 170        | 11/17 |
| 630       | 560       | 430       | 210        | 190        | 11/17 |

热熔对接管件

热熔对接管件




热熔承插法兰根



| dn  | D1<br>(mm) | D<br>(mm) | H<br>(mm) | L<br>(mm) |
|-----|------------|-----------|-----------|-----------|
| 20  | 27         | 45        | 7         | 21.5      |
| 25  | 33         | 58        | 9         | 25        |
| 32  | 41         | 68        | 10        | 28.5      |
| 40  | 50         | 78        | 11        | 34        |
| 50  | 61         | 88        | 12        | 39.5      |
| 63  | 76         | 102       | 14        | 45.5      |
| 75  | 122        | 90        | 16        | 40        |
| 90  | 138        | 108       | 17        | 45        |
| 110 | 158        | 130       | 18        | 50        |


热熔承插等径三通




| Size | D<br>(mm) | L<br>(mm) | H<br>(mm) |
|------|-----------|-----------|-----------|
| 20   | 27        | 56        | 28        |
| 25   | 33.5      | 64        | 62        |
| 32   | 42        | 76        | 38        |
| 40   | 51.5      | 88        | 44        |
| 50   | 63.5      | 104       | 52        |
| 63   | 79        | 126       | 63        |
| 75   | 92        | 147       | 74        |
| 90   | 110       | 168       | 84        |
| 110  | 134       | 200       | 100       |

热熔承插直通

| Size | D<br>(mm) | L<br>(mm) |
|------|-----------|-----------|
| 20   | 27        | 35        |
| 25   | 33.5      | 39        |
| 32   | 42        | 43        |
| 40   | 51.5      | 47        |
| 50   | 63.5      | 53        |
| 63   | 79        | 61        |
| 75   | 92        | 70        |
| 90   | 110       | 78        |
| 110  | 133       | 88        |



热熔承插弯头90°




| dn  | D<br>(mm) | H<br>(mm) |
|-----|-----------|-----------|
| 20  | 27        | 28        |
| 25  | 33.5      | 32        |
| 32  | 42        | 38        |
| 40  | 51.5      | 44        |
| 50  | 63.5      | 52        |
| 63  | 79        | 63        |
| 75  | 92        | 76        |
| 90  | 110       | 86        |
| 110 | 133       | 105       |

热熔承插异径直通



| dn1×dn2 | D1<br>(mm) | D2<br>(mm) | L<br>(mm) | L2<br>(mm) | L1<br>(mm) |
|---------|------------|------------|-----------|------------|------------|
| 25*20   | 33.5       | 27         | 35        | 16.5       | 14.8       |
| 32*20   | 42         | 27         | 37        | 19.1       | 15.3       |
| 32*25   | 42         | 33.5       | 39        | 18.5       | 16.1       |
| 40*20   | 51.5       | 27         | 45        | 20         | 14.7       |
| 40*25   | 51.5       | 33.5       | 46        | 21.5       | 16.7       |
| 40*32   | 51.5       | 42         | 43        | 21.6       | 18.8       |
| 50*20   | 63.5       | 27         | 43        | 24.1       | 14.9       |
| 50*25   | 63.5       | 33.5       | 48        | 24.2       | 17         |
| 50*32   | 63.5       | 42         | 49        | 23.3       | 18.6       |
| 50*40   | 63.5       | 51.2       | 51        | 23.4       | 20.8       |
| 63*20   | 79         | 27         | 48        | 27.2       | 14.6       |
| 63*25   | 79         | 33.5       | 58        | 28         | 16.5       |
| 63*32   | 79         | 42         | 58        | 28.1       | 18.8       |
| 63*40   | 79         | 51.5       | 58        | 27.4       | 21         |
| 63*50   | 79         | 63.5       | 58        | 28         | 23.7       |
| 75*25   | 79         | 33.5       | 58        | 28         | 16.5       |
| 75*32   | 79         | 42         | 58        | 28.1       | 18.8       |
| 75*40   | 79         | 51.5       | 58        | 27.4       | 21         |
| 75*63   | 79         | 33.5       | 58        | 28         | 16.5       |
| 90*25   | 79         | 33.5       | 58        | 28         | 16.5       |
| 90*32   | 79         | 42         | 58        | 28.1       | 18.8       |
| 90*40   | 79         | 51.5       | 58        | 27.4       | 21         |
| 90*50   | 79         | 33.5       | 58        | 28         | 16.5       |
| 90*63   | 79         | 33.5       | 58        | 28         | 16.5       |
| 90*75   | 79         | 42         | 58        | 28.1       | 18.8       |
| 110*32  | 79         | 51.5       | 58        | 27.4       | 21         |
| 110*40  | 79         | 51.5       | 58        | 27.4       | 21         |
| 110*50  | 79         | 33.5       | 58        | 28         | 16.5       |
| 110*63  | 79         | 42         | 58        | 28.1       | 18.8       |
| 110*75  | 79         | 51.5       | 58        | 27.4       | 21         |
| 110*90  | 79         | 51.5       | 58        | 27.4       | 21         |


热熔承插弯头45°



| dn  | D<br>(mm) | H<br>(mm) |
|-----|-----------|-----------|
| 20  | 27        | 21        |
| 25  | 33.5      | 24        |
| 32  | 42        | 27.5      |
| 40  | 51.5      | 31.5      |
| 50  | 63.5      | 37        |
| 63  | 79        | 44        |
| 75  | 92        | 53        |
| 90  | 110       | 59        |
| 110 | 133       | 70        |



钢制法兰片




| DN   | PE<br>dn | D<br>(mm) | B<br>(mm) | K<br>(mm) | h<br>(mm) | n  | d<br>(mm) | PN |
|------|----------|-----------|-----------|-----------|-----------|----|-----------|----|
| 40   | 50       | 145       | 55        | 110       | 12        | 4  | 18        | 10 |
| 50   | 63       | 160       | 68        | 125       | 13        | 4  | 18        | 10 |
| 65   | 75       | 180       | 80        | 145       | 14        | 4  | 18        | 10 |
| 80   | 90       | 195       | 95        | 160       | 14        | 8  | 18        | 10 |
| 100  | 110      | 215       | 115       | 180       | 15.5      | 8  | 18        | 10 |
| 125  | 125      | 245       | 130       | 210       | 16.5      | 8  | 18        | 10 |
| 125  | 140      | 245       | 145       | 210       | 16.5      | 8  | 18        | 10 |
| 150  | 160      | 280       | 165       | 240       | 18        | 8  | 22        | 10 |
| 150  | 180      | 280       | 185       | 240       | 18        | 8  | 22        | 10 |
| 200  | 200      | 335       | 210       | 295       | 19        | 8  | 22        | 10 |
| 200  | 225      | 335       | 230       | 295       | 19        | 8  | 22        | 10 |
| 250  | 250      | 390       | 260       | 350       | 19.5      | 12 | 22        | 10 |
| 250  | 280      | 390       | 285       | 350       | 19.5      | 12 | 22        | 10 |
| 300  | 315      | 440       | 330       | 400       | 20        | 12 | 22        | 10 |
| 350  | 355      | 500       | 370       | 460       | 21        | 16 | 22        | 10 |
| 400  | 400      | 560       | 415       | 515       | 22        | 16 | 26        | 10 |
| 450  | 450      | 610       | 465       | 565       | 23        | 20 | 26        | 10 |
| 500  | 500      | 665       | 515       | 620       | 24        | 20 | 26        | 10 |
| 600  | 560      | 775       | 575       | 725       | 26        | 20 | 30        | 10 |
| 600  | 630      | 775       | 640       | 725       | 28        | 20 | 30        | 10 |
| 700  | 710      | 895       | 725       | 840       | 32        | 24 | 30        | 10 |
| 800  | 800      | 1010      | 825       | 950       | 32        | 24 | 34        | 10 |
| 900  | 900      | 1110      | 925       | 1050      | 34        | 26 | 34        | 10 |
| 1000 | 1000     | 1220      | 1025      | 1160      | 36        | 28 | 34        | 10 |
| 1200 | 1200     | 1450      | 1225      | 1380      | 38        | 32 | 41        | 10 |
| 1400 | 1400     | 1675      | 1430      | 1590      | 44        | 36 | 48        | 10 |
| 1600 | 1600     | 1830      | 1630      | 1760      | 62        | 40 | 36        | 10 |

| DN  | PE<br>dn | D<br>(mm) | B<br>(mm) | K<br>(mm) | h<br>(mm) | n  | d<br>(mm) | PN |
|-----|----------|-----------|-----------|-----------|-----------|----|-----------|----|
| 40  | 50       | 145       | 55        | 110       | 16        | 4  | 18        | 16 |
| 50  | 63       | 160       | 68        | 125       | 16        | 4  | 18        | 16 |
| 65  | 75       | 180       | 80        | 145       | 16        | 4  | 18        | 16 |
| 80  | 90       | 195       | 95        | 160       | 18        | 8  | 18        | 16 |
| 100 | 110      | 220       | 115       | 180       | 18        | 8  | 18        | 16 |
| 125 | 125      | 245       | 130       | 210       | 18        | 8  | 18        | 16 |
| 125 | 140      | 245       | 145       | 210       | 18        | 8  | 18        | 16 |
| 150 | 160      | 280       | 165       | 240       | 20        | 8  | 22        | 16 |
| 150 | 180      | 280       | 185       | 240       | 20        | 8  | 22        | 16 |
| 200 | 200      | 335       | 210       | 295       | 22        | 12 | 22        | 16 |
| 200 | 225      | 335       | 230       | 295       | 22        | 12 | 22        | 16 |
| 250 | 250      | 400       | 260       | 355       | 24        | 12 | 26        | 16 |
| 250 | 280      | 400       | 285       | 355       | 24        | 12 | 26        | 16 |
| 300 | 315      | 450       | 327       | 410       | 24        | 12 | 26        | 16 |
| 350 | 355      | 510       | 365       | 470       | 26        | 16 | 26        | 16 |
| 400 | 400      | 570       | 415       | 525       | 28        | 16 | 30        | 16 |
| 450 | 450      | 630       | 465       | 585       | 30        | 20 | 30        | 16 |
| 500 | 500      | 700       | 515       | 650       | 32        | 20 | 33        | 16 |
| 600 | 560      | 830       | 570       | 770       | 36        | 20 | 36        | 16 |
| 600 | 630      | 830       | 640       | 770       | 36        | 20 | 36        | 16 |

钢制法兰片表面处理可热镀锌、喷塑。

碳钢、不锈钢可选。

PP包塑衬钢法兰片



连接尺寸：ASME B16.5 Class 150

Class 150

| Code           | Size   | DN   | PE (dn) | D (mm) | K (mm) | B (mm) | n  | d (mm) | h (mm) |
|----------------|--------|------|---------|--------|--------|--------|----|--------|--------|
| WPJ-150PPG20   | 1/2"   | 15   | 20      | 98     | 60     | 32     | 4  | 16     | 14     |
| WPJ-150PPG25   | 3/4"   | 20   | 25      | 108    | 70     | 37     | 4  | 16     | 14     |
| WPJ-150PPG32   | 1"     | 25   | 32      | 120    | 79     | 44     | 4  | 16     | 14     |
| WPJ-150PPG40   | 1 1/4" | 32   | 40      | 140    | 89     | 52     | 4  | 16     | 16     |
| WPJ-150PPG50   | 1 1/2" | 40   | 50      | 150    | 98     | 63     | 4  | 16     | 16     |
| WPJ-150PPG63   | 2"     | 50   | 63      | 165    | 121    | 78     | 4  | 20     | 20     |
| WPJ-150PPG75   | 2 1/2" | 65   | 75      | 185    | 140    | 92     | 4  | 20     | 20     |
| WPJ-150PPG90   | 3"     | 80   | 90      | 200    | 152    | 108    | 8  | 20     | 22     |
| WPJ-150PPG110  | 4"     | 100  | 110     | 230    | 191    | 128    | 8  | 20     | 22     |
| WPJ-150PPG125B | *4"    | 100* | 125     | 230    | 191    | 140    | 8  | 20     | 22     |
| WPJ-150PPG125  | 5"     | 125  | 125     | 260    | 216    | 140    | 8  | 23     | 24     |
| WPJ-150PPG140  | *5"    | 125* | 140     | 260    | 216    | 158    | 8  | 23     | 24     |
| WPJ-150PPG160  | 6"     | 150  | 160     | 286    | 241    | 178    | 8  | 23     | 26     |
| WPJ-150PPG180  | *6"    | 150* | 180     | 286    | 241    | 195    | 8  | 23     | 26     |
| WPJ-150PPG200  | 8"     | 200  | 200     | 345    | 298    | 235    | 8  | 23     | 28     |
| WPJ-150PPG225  | *8"    | 200* | 225     | 345    | 298    | 240    | 8  | 23     | 28     |
| WPJ-150PPG250  | 10"    | 250  | 250     | 410    | 362    | 288    | 12 | 26     | 30     |
| WPJ-150PPG280  | *10"   | 250* | 280     | 410    | 362    | 294    | 12 | 26     | 30     |
| WPJ-150PPG315  | 12"    | 300  | 315     | 485    | 432    | 345    | 12 | 26     | 35     |
| WPJ-150PPG355  | 14"    | 350  | 355     | 535    | 476    | 376    | 12 | 30     | 40     |
| WPJ-150PPG400  | 16"    | 400  | 400     | 600    | 540    | 430    | 16 | 30     | 40     |
| WPJ-150PPG450  | 18"    | 450  | 450     | 640    | 578    | 470    | 16 | 32     | 45     |
| WPJ-150PPG500  | 20"    | 500  | 500     | 700    | 635    | 533    | 20 | 32     | 45     |
| WPJ-150PPG560  | 22"    | 550  | 560     | 760    | 692    | 590    | 20 | 35     | 50     |
| WPJ-150PPG630  | 24"    | 600  | 630     | 820    | 749    | 645    | 20 | 35     | 50     |

连接尺寸：GB /9119:2010;ISO 7005-1:1992;DIN2501;DIN2576;EN 1092

PN16

| Code          | DN   | PE (dn) | D (mm) | K (mm) | B (mm) | n  | d (mm) | h (mm) |
|---------------|------|---------|--------|--------|--------|----|--------|--------|
| WPJ-16PPG20   | 15   | 20      | 98     | 65     | 32     | 4  | 16     | 14     |
| WPJ-16PPG25   | 20   | 25      | 108    | 75     | 37     | 4  | 16     | 14     |
| WPJ-16PPG32   | 25   | 32      | 120    | 85     | 44     | 4  | 16     | 14     |
| WPJ-16PPG40   | 32   | 40      | 140    | 100    | 52     | 4  | 18     | 16     |
| WPJ-16PPG50   | 40   | 50      | 150    | 110    | 62     | 4  | 18     | 18     |
| WPJ-16PPG63   | 50   | 63      | 165    | 125    | 78     | 4  | 18     | 18     |
| WPJ-16PPG75   | 65   | 75      | 185    | 145    | 92     | 4  | 18     | 18     |
| WPJ-16PPG90   | 80   | 90      | 200    | 160    | 108    | 8  | 18     | 20     |
| WPJ-16PPG110  | 100  | 110     | 220    | 180    | 128    | 8  | 18     | 20     |
| WPJ-16PPG125B | 100* | 125     | 220    | 180    | 135    | 8  | 18     | 20     |
| WPJ-16PPG125  | 125  | 125     | 250    | 210    | 135    | 8  | 18     | 22     |
| WPJ-16PPG140  | 125* | 140     | 250    | 210    | 158    | 8  | 18     | 22     |
| WPJ-16PPG160  | 150  | 160     | 285    | 240    | 178    | 8  | 22     | 22     |
| WPJ-16PPG180  | 150* | 180     | 285    | 240    | 188    | 8  | 22     | 22     |
| WPJ-16PPG200  | 200  | 200     | 340    | 295    | 235    | 12 | 22     | 24     |
| WPJ-16PPG225  | 200* | 225     | 340    | 295    | 238    | 12 | 22     | 24     |
| WPJ-16PPG250  | 250  | 250     | 405    | 355    | 288    | 12 | 26     | 26     |
| WPJ-16PPG280  | 250* | 280     | 405    | 355    | 294    | 12 | 26     | 26     |
| WPJ-16PPG315  | 300  | 315     | 460    | 410    | 338    | 12 | 26     | 28     |
| WPJ-16PPG355  | 350  | 355     | 520    | 470    | 376    | 16 | 26     | 30     |
| WPJ-16PPG400  | 400  | 400     | 580    | 525    | 430    | 16 | 30     | 32     |
| WPJ-16PPG450  | 450  | 450     | 640    | 585    | 465    | 20 | 30     | 40     |
| WPJ-16PPG500  | 500  | 500     | 715    | 650    | 533    | 20 | 32     | 45     |
| WPJ-16PPG560B | 600* | 560B    | 840    | 770    | 578    | 20 | 35     | 50     |
| WPJ-16PPG560  | 600* | 560     | 840    | 770    | 618    | 20 | 35     | 50     |
| WPJ-16PPG630  | 600  | 630     | 840    | 770    | 645    | 20 | 35     | 50     |

连接尺寸：GB /9119:2010;ISO 7005-1:1992;DIN2501;DIN2576;EN 1092

PN10

| Code          | DN   | PE (dn) | D (mm) | K (mm) | B (mm) | n  | d (mm) | h (mm) |
|---------------|------|---------|--------|--------|--------|----|--------|--------|
| WPJ-10PPG200  | 200  | 200     | 340    | 295    | 235    | 8  | 22     | 24     |
| WPJ-10PPG225  | 200* | 225     | 340    | 295    | 238    | 8  | 22     | 24     |
| WPJ-10PPG250  | 250  | 250     | 395    | 350    | 238    | 12 | 22     | 26     |
| WPJ-10PPG280  | 250* | 280     | 395    | 350    | 294    | 12 | 22     | 26     |
| WPJ-10PPG315  | 300  | 315     | 445    | 400    | 338    | 12 | 22     | 26     |
| WPJ-10PPG355  | 350  | 355     | 510    | 460    | 376    | 16 | 22     | 28     |
| WPJ-10PPG400  | 400  | 400     | 570    | 515    | 430    | 16 | 26     | 30     |
| WPJ-10PPG450  | 450  | 450     | 620    | 565    | 465    | 20 | 26     | 32     |
| WPJ-10PPG500  | 500  | 500     | 678    | 620    | 533    | 20 | 26     | 32     |
| WPJ-10PPG560B | 600* | 560B    | 788    | 725    | 578    | 20 | 30     | 42     |
| WPJ-10PPG560  | 600* | 560     | 788    | 725    | 618    | 20 | 30     | 42     |
| WPJ-10PPG630  | 600  | 630     | 788    | 725    | 645    | 20 | 30     | 42     |